# AUSTRALIAN SAILING (AS) 2017-2021 SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY	6	MONOHULLS & MULTIHULLS		Races close to shoreline in protected waters, daylight hours, with effective rescue availability.			
DATE OF AUDIT//		SAIL NO:		BOAT NAME:			
Audit form valid until bottom of current page			•	<b>1 to Jun 30). Expiry</b> hecks Special Regulat		•	l at
OWNER DETAILS							
OWNER(S) NAME(S):							
OWNER(S) AS NO(S):				OWNER(S) CLUB(S)			
BOAT DETAILS	l						
LH:				BOAT REGISTRATIO	N NO:		
DISPL (tonnes):				MARITIME STICKER	ISSUED	YES NO	N/A
HULL COLOUR:				DISTINGUISHING M	ARKS:		
DECK COLOUR:							
MAX CREW:							
DECLARATION BY P	ERSON IN C	HARGE					
organising authorities. I ur defined in SRs 1.02.1, 1.02 Special Regulations 2017- Signed by Person in C	2, 1.02.3 and 2.0 2021, and ensure <b>harge:</b>	33.1. I undertake that e it will be on board f	I will maintain ir or each race.	n good working order all  Date:	of the boat's eq	uipment as specified	
OUTSTANDING ITE	MS - The Eqւ	uipment listed o	ver the pag	· · · · · · · · · · · · · · · · · · ·	cept for the f		
Outstanding Item				Re-Inspected by		AS Auditor No.	Date
EQUIPMENT AUDIT	OR DECLAR	ATION					
I have checked the abover the AS Special Regulations							
Audited by AS NEA/C (print name)	EA:			Signed by AS NEA	/CEA:		
AS Number:				Date:			
EARLIEST EXPIRY D	ATES – i <u>ndic</u>	ate 'hi <u>re' or 'no</u> t	applicable	(n/a)' if relevant			
ITEM	EARLIEST	UPDATED	AUDITOR	ITEM	EARLIEST	UPDATED	AUDITOR
Fire ext (12 mth.)	EXPIRY	EARLIEST EXPIRY		Lifejackets	EXPIRY	EARLIEST EXPIRY	
NOTE: Some	clubs will not ac	cept self-servicing of	fire extinguisher	s and lifejackets. Check	with the club for	specific requirements	;

Page 1 of 2 Category 6 v1.0

# AUSTRALIAN SAILING (AS) 2017-2021 SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY 6	MONOHULLS & MULTIHULLS	Races close to shoreline in protected waters, daylight hours, with effective rescue availability.
DATE OF AUDIT / /	SAIL NO:	BOAT NAME:

This section to be completed and ticked or initialled by person in charge (P) and auditor(A). If item not applicable, mark 'n/a' or dash '-'

THIS SECTIO	on to be completed and <b>ticked or initialled</b> by pers	011	
Reg	Structural/Fixed Deck Items	Р	Α
2.03.1	Equipment functions & adequate for intended use		
2.03.2	Ballast & heavy equipment secured		
3.06.1	(b) Enclosed cabin, ≥5.5m LH, and carrying fuel		
0.00.1	below decks, 2 exits		
	(a) No hatches forward of maximum beam open		
3.07.1	inwards except if size < 0.071 m <sup>2</sup> (b) Non-conforming hatches labelled 'Not to be		
	opened at sea'		
	(a)(i) Hatches above water when heeled 90°		
3.07.2	(a)(iii) Non-conforming hatches; size < 0.071 m <sup>2</sup>		
3.07.2	(a)(iii) Non-conforming hatches kept shut while		
	racing		
3.08.1	Cockpit strong, self-draining, & watertight (3.08.2)		
3.08.3 If fitted	If fitted, bilge pump outlet not connected to cockpit drain		
II III.eu	Number of cockpit drains required: <8.5 m: 2 x 25 mm		
3.08.7	Age/Series Date pre 07/77 & >8.5 m; 2 x 25 mm		
	Age/ Series Date post 07/77 & >8.5 m; 4 x 20 mm		
3.08.8	Multihull minimum drain sizes after allowance for		
5.55.5	screen 20 cm <sup>2</sup> per m <sup>3</sup> of cockpit		
0.45.5	(a) Lifelines uncoated stainless steel wire		<u> </u>
3.12.6	(d) Gap secured by lanyard ≤ 100 mm;		
If fitted	Lanyard replaced annually		
	(e) Total lifeline system ≥ strength of required wire  Bilge pump not to discharge into closed cockpit		
3.20.6	Bilge pump not connected to cockpit drains		
3.20.7	Bilge pump minimum suction bore 25 mm		
If fitted	Bilge pump & strum boxes accessible		
2 20 4	Hull Identification, min 50 mm; name & state rego;		
3.28.1	OR name, sail number & club		
4.01.1	Sail numbers as per RRS 77 and Appendix G		
Reg	Structural/Fixed Items Below	Р	Α
	Cooking stove/heating appliance securely fastened,		
	r Gooking Stove/Healing appliance Securety (asteried).		
	safe, accessible shutoff		
3.17	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign		
3.17 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light		
_	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams		
_	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment		
If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard		
_	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment		
<b>If fitted</b> 3.24.6	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard  If motor fitted, separate starter battery for electric		
3.24.6 If fitted 3.24.7 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed		
3.24.6 If fitted 3.24.7 If fitted 3.24.8	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or		
3.24.6 If fitted 3.24.7 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon		
3.24.6 If fitted 3.24.7 If fitted 3.24.8	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation		
3.24.6 If fitted 3.24.7 If fitted 3.24.8	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material		
3.24.6 If fitted 3.24.7 If fitted 3.24.8	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply		
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material		
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.8	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks — see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard		
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.8	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "'REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers		
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks — see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.		
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment 2 x 8 litre buckets, stout construction with lanyard	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment  2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  Reg 3.20.9 3.24.10	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment  2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  Reg 3.20.9 4.04.2	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment  2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²  If motor or stove fitted, 1 x fire extinguisher 10BE dry	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  Reg 3.20.9 4.04.2 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment  2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²  If motor or stove fitted, 1 x fire extinguisher 10BE dry powder min or equiv.	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  Reg 3.20.9 4.04.2	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment  2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²  If motor or stove fitted, 1 x fire extinguisher 10BE dry powder min or equiv. Fire blanket (for cooking device with open flame)	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  3.24.9 If fitted  4.04.2 If fitted 4.04.4	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment  2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²  If motor or stove fitted, 1 x fire extinguisher 10BE dry powder min or equiv.	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  Reg 3.20.9 4.04.2 If fitted	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment 2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²  If motor or stove fitted, 1 x fire extinguisher 10BE dry powder min or equiv.  Fire blanket (for cooking device with open flame) (a) Anchor & ground tackle as per Table 1	P	A
3.24.6 If fitted 3.24.7 If fitted 3.24.8 If fitted 3.24.9 If fitted  3.24.9 If fitted  4.04.2 If fitted 4.04.4	safe, accessible shutoff Gas or methylated spirits only fuels for cooking "REMEMBER Turn Off Gas At Bottle' sign Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard If motor fitted, separate starter battery for electric starter Separate generators, if carried, securely covered and permanently installed Fuel tank shut off valve/cock if fuel can escape or siphon (a) Petrol tanks – see regulation (b) Diesel tanks metal or other certified material (c) Fuel lines comply (d) Outboard tanks secured on deck or ventilated compartment; manufacturer supplied or recognised national standard (e) Petrol not below decks in portable containers (f) Flexible fuel tank not permitted.  Portable Equipment 2 x 8 litre buckets, stout construction with lanyard If no motor & <5.5m LH, oars or paddles x 2; blade area 0.04m²  If motor or stove fitted, 1 x fire extinguisher 10BE dry powder min or equiv.  Fire blanket (for cooking device with open flame) (a) Anchor & ground tackle as per Table 1 (b) Anchor & warp sizes Table 2 or Table 3	P	A

rge (1) and addition(A). If item not applicable, mark 11/4 of dash				
4.07.4	First aid kit, waterproof container; contents listed;			
4.07.9	alternative brands permitted			
4.07.9	First aid contents as per list at end of this form			
4.10.3	Current AS "Racing Rules of Sailing" and "Special Regulations Part 1"; electronic or hard copy			
4.15.3	Sharp knife sheathed, restrained in or near cockpit			
4.16.1	Name on all buoyant equipment & items			
4.16.2	Personal lifejacket marked to identify owner			
4.17	Retroreflective tape on lifebuoys, lifeslings, liferafts			
4.26	Retrieval method of crew from water			
5.01.1	(i) Lifejacket ≥ 50N. in service  Number (1 per crew)			
	(j) If no lifelines, PFD ≥ 50N (as per 5.01.1i) worn by each crew on deck			

4.07.9 First Aid Kit Contents List – within expiry date					
NON-PRESCRIPTION		Α	NON-PRESCRIPTION		Α
Soluble Aspirin x 20			Bandaids or equivalent roll		
Disposable gloves x 10			of bandaid x 20		
Crepe bandages 75 mm x			Normal saline 30 ml x 2		
1.5 m x 2			Sunscreen 30+ 250 ml x 1		
Non-adherent dressing or			Scissors, stainless steel x 1		
gauze (e.g. Melolin) x 5			CPR mask or 6 face shields		

#### END OF FORM

As this form is for national use and portability, please use a separate checklist page for additional club/race organiser requirements.

Sailing Sailing	Sailing Sailing
Sailing Sailing	Sailing Sailing
Sailing Sailing	Australian Sailing

Page 2 of 2 Category 6 v1.0

CATEGORY 6	MULTIHULLS &	daylight hours, with effective rescue availability.
DATE OF AUDIT	SAIL NO:	BOAT NAME:
//		

### **Man Overboard Exercise Declaration**

I undertake to maintain the boat and all its man overboard retrieval equipment in good order and condition as specified in these Regulations. I have completed a Man Overboard drill with my regular crew for season 2019-2020, as mandated by Royal Brighton Yacht Club and will continue to make efforts to train new crew members.

Signed by Person in Charge:	Date:

### **Race Management Safety Plan Declaration**

I have read and remain familiar with the up to date RBYC Race Management Safety Plan. The Safety plan can be found at <a href="https://bit.ly/2lcywM6">https://bit.ly/2lcywM6</a>

Signed by Person in Charge:	Date:
-----------------------------	-------