## AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY		NOHULLS ( ULTIHULLS		ces with limited rescue availability in protected ers in daylight and sheltered waters at night			
DATE OF AUDIT	SAIL	NO:	BOAT	NAME:			
				stated in Notice of Race. spot checks Special Regu			s required
NIGHT RACING COMPL	IANT (Refer	3.15.2, 3.23.1-3.23.	4, 4.14.1, 4	.14.2, 5.01.1(k), 5.03)	YES NO		
OWNER DETAILS							
OWNER(S) NAME(S):							
OWNER(S) CLUB(S):							
BOAT DETAILS							
LH:				BOAT REGISTRATION N	IO:		
DISPL (tonnes):				VARIABLE (WATER) BAL	LAST: YE	S NO	
HULL COLOUR:				FIXED KEEL or LIFTING	KEEL or CANT	ING KEEL (circle)	
DECK COLOUR:				DISTINGUISHING MARK	S:		
MAX CREW:							
DECLARATION BY	PERSON II	N CHARGE					
unlimited responsibility of t all of the boat's equipment Signed by Person in C	the person in one as specified in the charge:	charge as defined in S n the current AS Spec	Rs 1.02.1, 1 ial Regulation	understand that an auditor of .02.2, 1.02.3 and 2.03.1. I un ons, and ensure it will be on I Date:	dertake that I wi	ill maintain in good wace.	orking order
	MS – The e	equipment listed	in the fo	llowing pages was co	mplete exce	<del>.</del>	
Outstanding Item				Re-Inspected by		AS No.	Date
<b>EQUIPMENT AUDIT</b>							
				s summarised in the following be signed until outstanding it			
Audited by AS NEA:(print name)				Signed by AS NEA:			
AS Number:				Date:			
EARLIEST EXPIRY			not appli	cable 'n/a' if relevant			
ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR	ITEM	EARLIEST EXPIRY	UPDATED EARLIEST EXPIRY	AUDITOR
Fire ext (12 mth.)				Flares orange hand			
Flares red hand	hs will not ear	cent self-servicing of	i lifoiackots	Lifejackets  Check with the club for sp	ecific requires	nents	
I TO I E. SUITE CIUI	oo wiii iiot ac	oopt sen-servicing of	ejachets	. Gricon with the Glub for Sp	como requiren	ionio.	

Page 1 of 3 Version 1.2 – 7 March 2022

## AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



CATEGORY 5

MONOHULLS & Races with limited rescue availability in protected waters in daylight and sheltered waters at night

DATE OF AUDIT

SAIL NO:

BOAT NAME:

This section to be completed and ticked or initialled by person in charge (P) and auditor(A). If item not applicable, mark 'n/a' or dash '-'

D	Otana tara l Fina l Bank Kama	_	
Reg	Structural Fixed Deck Items	Р	Α
2.03.1	Equipment functions & adequate for intended use		
2.03.2	Ballast & heavy equipment secured  Section 3 Part 1 – Structural Features, Stability. See		
3.01 - 3.05	Keel and Rudder Inspection Form, and Organising		
	Authority requirements		
2.00.4	(b) Enclosed cabin, ≥ 5.5m LH, and carrying fuel below		
3.06.1	decks, 2 exits		
3.07.1	No hatches forward of maximum beam open inwards		
3.07.1	except if size < 0.071 m <sup>2</sup>		
	(a)(i) Hatches above water when heeled 90°		
2.07.2	(a)(iii) Non-conforming hatches; size < 0.071 m <sup>2</sup>		
3.07.2	(a)(iii) Non-conforming hatches kept shut while racing (b) Hatches capable of being immediately shut;		
	permanently attached lid		
0.07.0	Non-conforming hatches labelled		
3.07.3	'Not to be opened at sea'		
	Blocking device for low sill companionway		
	(a) Companionway hatch securing arrangement		
	(i) Operable from above and below		
3.07.4	(b) Blocking devices (e.g. washboards)		
	(i) Capable of being retained with hatch open or shut		
	(ii) Secured to boat (e.g. by lanyard) (iii) Permit exit in event of inversion		
3.08.1	Cockpit strong, self-draining, & watertight (3.08.2)		
3.08.3	Bilge pump outlet not connected to cockpit drain		
3.00.3	Number of cockpit drains required: <8.5 m: 2 x 25 mm		
3.08.7	Age/Series Date pre 07/77 & >8.5 m; 2 x 25 mm		
	Age/Series Date post 07/77 & >8.5 m; 4 x 20 mm		
3.20.5	1 x manual bilge pump if space below floorboards		
0.20.0	precludes access for bucket bailing		
3.20.6	Bilge pump not to discharge into closed cockpit		
	Bilge pump not connected to cockpit drains (a) Bilge pump minimum suction bore 25 mm		
3.20.7	(b) Bilge pump & strum boxes accessible		
3.22	Minimum 2 halyards capable of hoisting sail		
	Night: Navigation lights carried complying with		
3.23	IRPCAS		
3.24.4	If using outboard motor, provision for it being mounted		
0.24.4	at all times (may be raised but not removed)		
3.28.1	Hull Identification, min 50 mm; name & state rego;		
4.01.1	OR name, sail number & club Sail numbers as per RRS 77 and Appendix G		
Reg	Structural/Fixed Items Below	Р	٨
	(a) Seacocks permanently installed	Г	
3.09.1	(b) Plugs for each opening attached or stowed nearby		
3.15.2	Night: Toilet or securely fastened bucket		
	(a)(i) Lifelines uncoated stainless steel wire, or		
	(a)(iii) HMPE rope of minimum diameter		
	(b) Loose sleeve permitted		
3.12.6	(d) Gap secured by lanyard ≤ 100 mm;Lanyard		
If fitted	replaced annually		
	(e) Total lifeline system ≥ strength of required wire		
	Lifeline size minimum: LH < 8.5 m: 3 mm; LH 8.5 m – 13 m: 4 mm; LH > 13 m: 5 mm		
	Cooking stove/heating appliance safe use in seaway		
	e.g. Gimballed with accessible shutoff		
	Gas or methylated spirits only fuels for cooking		
1		-	
3.17	"REMEMBER Turn Off Gas At Bottle" sign		
3.17 If fitted	Gas detection for permanent pilot light		
	Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams		
	Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment		
If fitted	Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment ventilated overboard		
_	Gas detection for permanent pilot light Disposable gas canisters ≤ 225 grams Gas bottle, spare canisters in separate compartment		

3.24.6	Dedicated starter battery if electric starter is only method of starting		
3.24.7	Separate generators, if carried, securely covered and permanently installed		
3.24.8	Fuel tank shut off valve/cock if fuel can escape or siphon		
	(a) Petrol tanks – see regulation		
	(b) Diesel tanks metal or other certified material		
	(c) Fuel lines comply		
3.24.9	(d) Outboard tanks secured on deck or ventilated		
0.24.0	compartment; manufacturer supplied or recognised		
	national standard		
	(e) Petrol not below decks in portable containers		
	(f) Flexible fuel tank not permitted		
3.25.1	(b)(i) Permanently installed VHF transceiver (new		
	installations DSC capable)		
Reg	Portable Equipment	Р	Α
3.18.4	Emergency water 1 litre per crew additional		
3.20.9	2 x 8 litre buckets, stout construction with lanyard		
	Night: Reserve navigation lights, independent of main		
3.23.4	power		
4.04.2	1 x fire extinguishers 1A:10BE dry powder min or		
7.07.2	equiv.		
4.04.4	Fire blanket (for cooking device with open flame)		
	(a) Anchors & ground tackle as per Table 1	$\Box$	
4.05.1	(b) Anchor & warp sizes Table 2 or Table 3		
	Anchor 1 Typekg/size		
4.06.2	1 x flashlight floating type; spare batteries & bulbs if replaceable		
4.07.2	First Aid Manual (St Johns or Red Cross) (current ed.)		
4.07.4	First aid kit, waterproof container; contents as listed		
4.07.9	below (alternative brands permitted)		
4.10.1	Charts (may be solely electronic), plotting equipment		
4 40 0	Current AS "Racing Rules of Sailing" and "Special		
4.10.3	Regulations Part 1"; electronic or hard copy		
4.14.1	Night: Emergency tiller if not tiller steered		
4.14.2	Night: Alternative steering method for rudder loss		
4.15.1	Tools, spares parts, effective way to cut rigging		
4.15.3	Sharp knife sheathed, restrained in or near cockpit		
4.16.1	Name on all buoyant equipment & items		
4.16.2	Personal lifejacket marked to identify owner		
4.17	Retroreflective tape on lifebuoys, lifeslings, liferafts	Ш	
4.22.1	Waterproof container for flares	Ш	
	2 x red hand flares	Ш	
	2 x white hand flares	Ш	
4.23.1	Heaving line minimum 15 m	Ш	
4.26	Retrieval method of crew from water	Ш	
	(i) Lifejacket ≥ 50N in service		
5.01.1	Number (1 per crew)		
	(See regulation for compliance standards)	Н	
	(j) If no lifelines, PFD ≥ 50N (as per 5.01.1i) worn by each crew on deck		
	each crew on deck (k) <b>Night:</b> PFDs ≥ 100N	$\vdash$	
5.03	Night: Personal light (strobe or SOLAS LSA 2.2.3)	Н	
5.05	THE TOTO CONTACT INSTITUTE OF SOLAS LOA 2.2.3)	ш	

Page 2 of 3 Version 1.2 – 7 March 2022

## AUSTRALIAN SAILING (AS) SPECIAL REGULATIONS EQUIPMENT AUDIT FORM



**CATEGORY 5** 

MONOHULLS & MULTIHULLS

Races with limited rescue availability in protected waters in daylight and sheltered waters at night

DATE OF AUDIT

SAIL NO:

**BOAT NAME:** 

4.07.9 First Aid Kit Contents List – within expiry date				
NON-PRESCRIPTION	Р	Α		
Paracetamol 500 mg (e.g.Panadol) or Ibuprofen 200 mg (e.g. Nurofen) x 20				
Soluble Aspirin (e.g.Disprin) x 20				
Disposable gloves x 10				
Crepe bandages 75 mm x 1.5 m x 2				
Low absorbency non-adherent dressing/plain gauze (e.g. Melolin) x 5				
Bandaids or equivalent rollof bandaid x 20				
Normal saline 250 ml x 1				
Sunscreen 30+ 250 ml x 1				
Scissors, stainless steel x 1				
CPR mask or 6 face shields				

## **END OF FORM**

As this form is for national use and portability, please use a separate checklist page for additional club/race organiser requirements



